# 



## REGA. RIGID CORE FLOORING

Product presentation

2024



### REGA. ELEGANT AND TIMELESS

Rega herringbone pattern adds a sense of elegance to each interior. It makes small rooms appear larger and adds depth to larger spaces. The herringbone motif offers a chic and clean look that can give the room both modern and classic character.

Rega floor is a sophisticated and highly technologically advanced solution which will work in any interior.



### **REGA. KEY FEATURES**

- integrated underlay makes the use of the floor even more comfortable
- EIR synchronous structure makes Rega floor look and feel like a natural wood
- UV-hardened matte surface
- pressed micro V-bevel following the latest trends
- R10 slipperiness class
- class 33
- warranty 20 years







## MOST IMPORTANT REGA FLOOR PARAMETERS

Total thickness	5mm + 1 (IXPE)
Thickness of the wear layer	0,5 mm
Dimensions	6*592*148 mm
European classification	33
Lock	UNILIN L2C GW 1553704222
Packaging	1,4018 m² - 16 (8A +8B) tiles
Thermal conductivity	0,061 ( m2-K)W EN 14041:2004/AC:2006
Floor heating	T <27 C
Reaction to fire	Bf1-S1 EN 14041:2004/AC:2006
Formaldehyde emission	E1 EN14041:2004/AC:2006
Slipperiness	R10
CE	No. 22-0169
Dimensional stability	< 0,05 %
Warranty residential use	20 years



































OAK DENVER

OAK KANSAS







OAK MICHIGAN









OAK PHOENIX



OAK NEVADA

# **SAMPLE**



3030989 SAMPLE VOX REGA 8 DECORS UNI

## **EXPOSITION**

STAND AVAILABLE ONLY TO ORDER
COST AND DELIVERY TIME ESTIMATED INDIVIDUALLY FOR EACH ORDER
Dimensions: W: 744 X H: 2000 X D: 835 mm

### FLOOR SYSTEM

In VOX we think globally about the interiors, which is why we created the flooring system including high quality products that match our floors – check our skirting boards and underlays.



- ESPUMO skirting board collection
- Extremely durable skirting boards perfect even in the most demanding rooms (bathroom, kitchen, hall)
- Espumo skirting boards allow to hide electric wires









WATERPROOF



GLUE INSTALLATION

# **THANK YOU**